


## Superior Pumping Equipment for General Industry Services





At KSB, reliability is our hallmark, evident in both our pumps and people. Pursuing excellence is at the core of everything we do.



**KSB is a customer-first solutions provider committed to delivering the highest quality standards.**



**Our pumps ensure seamless system integration, providing long-lasting performance, peak efficiency, and minimal wear.**



**Benefit from KSB SupremeServ, our extensive service network, with round-the-clock support and global engineering expertise.**







### **About KSB**

KSB is a leading international manufacturer of pumps and valves for the water and wastewater, general industry, and power generation markets. Founded in 1871 in Frankenthal, Germany, KSB has more than 16,000 employees worldwide and generates annual consolidated sales revenue exceeding \$2.8 billion.

KSB has been successfully manufacturing pumps and valves for more than 150 years. The expertise acquired over this time is applied in every aspect of our work and is evident in the build quality and attention to detail given to our products and their operation. The reliability of our manufacturing, equipment, expertise, and service is paramount to our worldwide reputation, the customers we serve, and everyone who benefits from all that we do.

# Tap into our expertise across a wide range of industries and application areas.



## Table of Contents

General Service	Etabloc . . . . .	2
	Etanorm . . . . .	2
	Etachrom . . . . .	2
	Etaprime . . . . .	2
Vertical	Estigia . . . . .	5
	B Pump . . . . .	5
	Etanorm V. . . . .	5
Horizontal Splitcase	Omega / RDLO . . . . .	5
Process	Ansichem . . . . .	6
	MegaCPK . . . . .	6
Sealless	Etaseco . . . . .	6
	Magnochem / Magnochem-Bloc. . . . .	6
In-Line	Etaline. . . . .	7
	Etaline-R. . . . .	7
Hot Water / Thermal Transfer	Etabloc SYT . . . . .	9
	Etaline SYT . . . . .	9
	Etanorm SYT . . . . .	9
	HPK-L . . . . .	9
Multi-Stage	Movitec . . . . .	10
	Multitec . . . . .	10
	HGM . . . . .	10
	H(S)I. . . . .	10
	Comeo . . . . .	11
Solids Handling	KRT . . . . .	12
	KWP / KWP-Bloc. . . . .	12
	Sewatec / Sewabloc . . . . .	12



**Etabloc**  
(Page 2)



**Movitec**  
(Page 10)



**Multitec**  
(Page 10)

## Etabloc

Single-Stage Volute Casing Pump



**Max. Flow:** 3,322 GPM

**Max. Head:** 524 Ft.

**Temperature Range:**  
-22 to 284°F

**Max. Operating Pressure:** 232 psi

**Materials:**

Cast Iron, Nodular Cast Iron, A743 CF8M SS, Bronze

**Connections:**


Flange, 1 to 8"  
Drilled to Class 125, 150

**Applications:**

Water Supply  
General Irrigation  
Spray Irrigation  
Cooling Circuits  
Drainage  
Heating  
Air Conditioning

## Etanorm

Single-Stage Volute Casing Pump



**Max. Flow:** 6,019 GPM

**Max. Head:** 524 Ft.

**Temperature Range:**  
-22 to 284°F

**Max. Operating Pressure:** 232 psi

**Materials:**

Cast Iron, Nodular Cast Iron, A743 CF8M SS, Bronze

**Connections:**

Flange, 1 to 14"  
Drilled to Class 125, 150

**Applications:**

Water Supply  
Cooling Circuits  
Swimming Pools  
Irrigation  
Drainage  
Heating Systems

## Etachrom

Single-Stage Stainless Steel Pump



**Max. Flow:** 1,100 GPM

**Max. Head:** 344 Ft.

**Temperature Range:**  
-22 to 230°F

**Max. Operating Pressure:** 174 psi

**Materials:**

316TiSS

**Connections:**

Flange, 1 to 4"  
Drilled to Class 125

**Applications:**

Water Supply  
Cooling Circuits  
Oil & Cleaning Agents  
Swimming Pools  
Irrigation  
Drainage  
Heating Systems

## Etaprime

Single-Stage Self Priming Pump



**Max. Flow:** 792 GPM

**Max. Head:** 344 Ft.

**Temperature Range:**  
-20 to 194°F

**Max. Operating Pressure:** 232 psi

**Materials:**

Cast Iron, 316SS

**Connections:**

Flange, 1.5 to 5"  
Drilled to Class 125, 150

**Applications:**

Water Supply  
Irrigation  
Drainage  
Cooling Water  
Swimming Pools  
Seawater  
Brackish Water  
Condensate  
Cleaning Agents

**KSB's foundries deliver unmatched precision and quality, producing cast components that meet the highest standards worldwide.**





**With a focus on quality down to the smallest detail, safety, reliability, and customer satisfaction are top priorities in KSB's quality assurance.**

## VERTICAL



### Estigia

Single-Stage Vertical Lineshaft Pump

**Max. Flow:** 6,380 GPM

**Max. Head:** 360 Ft.

**Max. Temp.:** 212°F

**Max. Operating Pressure:** 232 psi

**Max. Depth:** 19.5 Ft.

**Materials:**

Grey Cast Iron, 316SS, Duplex SS

**Connections:**

Flange, 1 to 8"  
Drilled to Class 150

**Applications:**

Automotive  
Food & Beverage  
Chemical  
Marine  
Pulp & Paper  
Water Supply  
Paint Shops  
Washing Plants



### B Pump

Vertical Turbine Pump

**Max. Flow:** 11,448 GPM

**Max. Head:** 525 Ft.

**Max. Temp.:** 221°F

**Max. Operating Pressure:** 232 psi

**Materials:**

Cast Iron, Bronze, 316SS, Duplex SS, Super Duplex SS

**Borehole Diameter:**

6 to 24"

**Applications:**

Water Supply  
Cooling Circuits  
Irrigation  
Drainage  
Seawater



### Etanorm V

Single-Stage Volute Casing Pump

**Max. Flow:** 3,258 GPM

**Max. Head:** 328 Ft.

**Max. Temp.:** 203°F

**Max. Operating Pressure:** 142 psi

**Materials:**

Grey Cast Iron, Bronze, 316SS

**Max. Pump Length:**

6'-6"

**Applications:**

Industrial Spray Washer  
Cleaning Solutions  
Coolant Systems  
Paint Systems  
Filtration Systems  
Waste Sumps  
Process Draining

## HORIZONTAL SPLITCASE



### Omega / RDLO

Axially Split Volute Casing Pump

**Max. Flow:** 79,260 GPM

**Max. Head:** 984 Ft.

**Max. Temp.:** 284°F

**Max. Operating Pressure:** 435 psi

**Materials:**

Grey Cast Iron, Duplex SS, Nodular Cast Iron

**Connections:**

Flange, 3 to 35"  
Drilled to Class 125, 150, 300

**Applications:**

Desalination  
Pressure Boosting  
Water Transport  
Cooling Water  
Irrigation Pumping Stations  
District Heating / Cooling



## PROCESS



### Ansichem

Single-Stage Volute Casing Pump

**Max. Flow:** 7,000 GPM

**Max. Head:** 750 Ft.

**Temperature Range:**  
-200 to 700°F

**Max. Operating Pressure:** 350 psi

**Materials:**

Carbon Steel, 316SS,  
CD4MCu, Alloy 20

**Connections:**

Flange, 1 to 8"  
Class 150, 300

**Applications:**

Chemical  
Petrochemical  
Desalination  
Brine  
Pharmaceuticals  
Metal Production  
Pulp & Paper  
Industrial Wastewater



### MegaCPK

Single-Stage Volute Casing Pump

**Max. Flow:** 11,888 GPM

**Max. Head:** 764 Ft.

**Max. Temp.:** 752°F

**Max. Operating Pressure:** 580 psi

**Materials:**

Cast Iron, Cast Steel,  
316SS, Duplex SS,  
Super Duplex SS

**Connections:**

Flange, 1 to 16"  
Drilled to Class 125, 150,  
300

**Applications:**

Chemical  
Petrochemical  
Sugar  
Brine  
Steel  
Biodiesel / Bioethanol  
Desalination  
Reverse Osmosis

## SEALLESS



### Etaseco

Horizontal or Vertical Sealless Canned Motor Pump

**Max. Flow:** 1,100 GPM

**Max. Head:** 328 Ft.

**Temperature Range:**  
-40 to 284°F

**Max. Operating Pressure:** 232 psi

**Materials:**

Nodular Cast Iron,  
A743 CF8M SS

**Connections:**

Flange, 1.25 to 3"

**Applications:**

Railway  
Off Highway Vehicles  
Wind Power  
Cooling Circuits  
Environmental Engineering



### Magnochem / Magnochem-Bloc

Horizontal Sealless Magnetic Drive Pump

**Max. Flow:** 6,160 GPM

**Max. Head:** 764 Ft.

**Temperature Range:**  
-130 to 660°F

**Max. Operating Pressure:** 580 psi

**Materials:**

Cast Steel, 316SS,  
Duplex SS

**Connections:**

Flange, 1 to 10"  
Drilled to Class 150, 300

**Applications:**

Chemical  
Petrochemical  
Sugar  
Heat Transfer  
Cooling Circuits  
Industrial Recirculation  
Refinery



### Etaline

Vertical Close-Coupled, Single-Stage Volute Casing Pump

**Max. Flow:** 3,740 GPM

**Max. Head:** 459 Ft.

**Temperature Range:**  
-22 to 284°F

**Max. Operating Pressure:** 232 psi

**Materials:**

Cast Iron

**Connections:**

Flange, 1.25 to 8"  
Class 125

**Applications:**

Cooling Circuits  
Heating Systems  
Water Supply  
Industrial Recirculation  
Heat Recovery  
Service Water Supply



### Etaline-R

Vertical Single-Stage Volute Casing Pump

**Max. Flow:** 8,360 GPM

**Max. Head:** 318 Ft.

**Temperature Range:**  
-22 to 284°F

**Max. Operating Pressure:** 362 psi

**Materials:**

Nodular Cast Iron

**Connections:**

Flange, 6 to 14"  
Class 125

**Applications:**

Cooling Circuits  
Heating Systems  
Water Supply  
Industrial Recirculation  
Heat Recovery  
Service Water Supply

**Drawing from more than 150 years of history, KSB leverages its expertise and skilled workforce to craft solutions for future challenges. We redefine research and quality practices to deliver optimal efficiency and sustainability.**





**Customer feedback is the cornerstone of our quality standards.  
At KSB, we leverage insights from around the world  
to continually refine and advance our products.**

### Etabloc SYT



Single-Stage Volute Casing Pump

**Max. Flow:** 1,482 GPM

**Max. Head:** 324 Ft.

**Max. Temp.:**

662°F (oil)

356°F (water)

**Max. Operating**

**Pressure:** 232 psi

**Materials:**

Nodular Cast Iron

**Connections:**

Flange, 1 to 4"

Drilled to Class 125

**Applications:**

Heat Transfer Systems

Hot Water Circulation

Metal Production

Textiles

Wood & Paper

Food & Beverage

Plastic Industry

### Etaline SYT



In-Line, Single-Stage Volute Casing Pump

**Max. Flow:** 1,390 GPM

**Max. Head:** 331 Ft.

**Max. Temp.:**

662°F (oil)

356°F (water)

**Max. Operating**

**Pressure:** 232 psi

**Materials:**

Nodular Cast Iron

**Connections:**

Flange, 1.25 to 4"

Drilled to Class 125

**Applications:**

Heat Transfer Systems

Hot Water Circulation

Metal Production

Textiles

Wood & Paper

Food & Beverage

Plastic Industry

### Etanorm SYT



Single-Stage Volute Casing Pump

**Max. Flow:** 3,317 GPM

**Max. Head:** 334 Ft.

**Max. Temp.:**

662°F (oil)

356°F (water)

**Max. Operating**

**Pressure:** 232 psi

**Materials:**

Nodular Cast Iron,  
Cast Steel

**Connections:**

Flange, 1 to 8"

Drilled to Class 125

**Applications:**

Heat Transfer Systems

Hot Water Circulation

Metal Production

Textiles

Wood & Paper

Food & Beverage

Plastic Industry

### HPK-L



Single-Stage Volute Casing Pump

**Max. Flow:** 6,160 GPM

**Max. Head:** 765 Ft.

**Max. Temp.:** 752°F

**Max. Operating**

**Pressure:** 580 psi

**Materials:**

Cast Steel, Alloyed Cast  
Steel

**Connections:**

Flange, 1 to 12"

Drilled to Class 300

**Applications:**

Heating Systems

Force Circulation Boilers

District Heating

Heat Transfer Systems

Renewable Energy

Textiles

Wood & Paper

## MULTI-STAGE



### Movitec

Vertical, Multi-Stage High-Pressure Pump

**Max. Flow:** 845 GPM

**Max. Head:** 1,316 Ft.

**Max. Temp.:** 284°F

**Max. Operating Pressure:** 580 psi

**Materials:**

Cast Iron, 304SS, 316SS, 316LSS

**Connections:**

Oval Flange, Round Flange, External Thread, Victaulic, Triclamp  
Class 125, 150, 300, 600

**Applications:**

Pressure Boosting  
Boiler Feed  
Industrial Filtration  
Reverse Osmosis  
Industrial Washing  
Industrial Cooling  
Tooling Machines



### Multitec

Radially Split, Multi-Stage Ring-Section Pump

**Max. Flow:** 6,600 GPM

**Max. Head:** 3,280 Ft.

**Max. Temp.:** 392°F

**Max. Operating Pressure:** 1,450 psi

**Materials:**

Cast Iron, Cast Steel, 316SS, Duplex SS, Super Duplex SS

**Connections:**

Flange, 1.25 to 10"  
Drilled to Class 300, 600

**Applications:**

Boiler Feed  
High Pressure Boosting  
Heating Systems  
Industrial Filtration  
Reverse Osmosis  
Desalination  
Snowmaking



### HGM

Radially Split, Multi-Stage Ring-Section Pump

**Max. Flow:** 1,716 GPM

**Max. Head:** 4,592 Ft.

**Max. Temp.:** 320°F

**Max. Operating Pressure:** 2,030 psi

**Materials:**

Cast Steel, 316SS

**Connections:**

Flange, 1 to 6"  
Drilled to Class 300, 600, 900, 1500

**Applications:**

Boiler Feed  
Metal Production  
Snowmaking  
High Pressure Boosting



### H(S)I

Horizontal, Multi-Stage High-Pressure Pump

**Max. Flow:** 115 GPM

**Max. Head:** 640 Ft.

**Max. Temp.:** 284°F

**Max. Operating Pressure:** 362 psi

**Materials:**

304SS, 316LSS

**Connections:**

Internal thread, 1.25 to 2"

**Applications:**

Pressure Boosting  
Water Supply  
General Irrigation  
Washing Systems  
Light Industrial Applications



**KSB has been synonymous with innovation since 1871. To ensure new developments meet demands, we employ a rigorous test scenario that all products must pass before reaching the market.**

## Comeo

Close-Coupled, Multi-Stage Pump



**Max. Flow:** 47.5 GPM

**Max. Head:** 260 Ft.

**Max. Temp.:** 140°F

**Max. Operating Pressure:** 145 psi

**Materials:**  
Cast Iron, 304SS

**Connections:**  
Internal Thread, 1.25"

**Applications:**  
Pressure Boosting  
Cold Water Supply  
General Irrigation  
Light Industrial Applications



### KRT

Vertical, Single-Stage Submersible Motor Pump

**Max. Flow:** 45,000 GPM

**Max. Head:** 330 Ft.

**Max. Temp.:** 140°F

**Materials:**

Grey Cast Iron, Nodular Cast Iron, White Cast Iron, Duplex SS

**Impeller Types:**

Vortex, Cutter, Closed Single- & Multi-Channel, Open Diagonal Single-Vane, Open Radial Multi-Vane

**Applications:**

Industrial Wastewater Drainage  
Service Water Supply  
Sludge Disposal



### KWP / KWP-Bloc

Dry-Installed, Volute Casing Pump

**Max. Flow:** 66,000 GPM

**Max. Head:** 328 Ft.

**Max. Temp.:** 284°F

**Materials:**

Grey Cast Iron, Nodular Cast Iron, White Cast Iron, Duplex SS, Super Duplex SS

**Impeller Types:**

Vortex, Open Multi-Vane, Closed Multi-Channel

**Applications:**

Industrial Wastewater Sugar  
Food & Beverage Desalination  
Chemical  
Flue Gas Desulfurization



### Sewatec / Sewabloc

Dry-Installed, Volute Casing Pump (Horizontal or Vertical Installation)

**Max. Flow:** 44,000 GPM

**Max. Head:** 377 Ft.

**Max. Temp.:** 158°F

**Materials:**

Grey Cast Iron, Duplex SS, White Cast Iron

**Impeller Types:**

Vortex, Closed Single- & Multi-Channel, Open Diagonal Single-Vane, Open Radial Multi-Vane

**Applications:**

Industrial Wastewater  
Sludge Processing  
Solids Handling



## KSB SupremeServ is your service partner for the entire product life cycle.


### Consultancy & Analysis

- Technical Consultancy
- Energy Efficiency Analysis
- Identification of Energy Saving Potential
- Pump Operation Check
- KSB SupremeServ Efficiency Consulting (SEC)

### Operation

- Inspection Service
- Spare Parts Inventory Management
- Maintenance Inspection
- TPM® Total Pump Management

*\* Houston office coming soon*



### Commissioning & Start-Up

- Technical Consultancy
- Energy Efficiency Analysis
- Identification of Energy Saving Potential
- Pump Operation Check
- KSB SupremeServ Efficiency Consulting (SEC)
- Well Pump Measurement
- Installation
- Alignment
- Instruction of Operating Staff

### Repair

- Maintenance of Pumps, Valves, Automation, Motors, Mechanical Seals, and Rotating Equipment
- ReEngineering
- 3D Printing
- Retrofitting
- Spare Parts Kit
- Mechanical Seals

**With 12 service centers covering North America, we are available whenever and wherever you need us.**



For more information,  
visit our website.



Scan the QR code using  
your mobile phone  
camera app or any QR  
code scanning app.

 **KSB**  
General Industry

 **PUFFER** Rotating Equipment  
Pumps & Parts ▪ Pump Skids ▪ Repairs & Services

12305 Kurland Dr, Houston, TX 77034  
[RotatingEquipment@puffer.com](mailto:RotatingEquipment@puffer.com) 281-240-2000

 **KSB**  
Authorized Sales Partner